

Neotectonic structural subdivision

(Beginning of Oligocene until the Recent)

Authors: R. Aizberg ^{*1}, R.G. Garetzky ^{*1}, A.K. Karabanow ^{*1}; F. Kockel ^{*2}, E.A. Levkov ^{*1}, A.O. Ludwig ^{*3}, H. Lykke-Andersen ^{*4}, S. Ostaficzuk ^{*5}, V. Palijenko ^{*6}, G. Schwab ^{*7}, A. Šliaupa ^{*7}, W. Stackebrandt ^{*3}

Map No.8




NEOGEODYNAMICA BALTICA
Projekt No.346

Scientific board:
R.G. Garetzky, E.A. Levkov [†],
S. Ostaficzuk, G. Schwab [†],
J. Sokolowski, W. Stackebrandt

Legend

- areas of subsidence since beginning of Oligocene
- areas of dominating uplift since/beginning of Oligocene
- uplifted areas of the alpidic orogen
- areas with subsidence followed by uplift
- subsided areas of the alpidic realm, later uplifted
- neotectonic structures of 1st order
- neotectonic structures of 2nd order
- neotectonic structures of 3rd order

- 1 Lake Onega Depression
- 2 Lake Ladoga Depression
- 3 Pandivere High
- 4 Riga Depression
- 5 Aland High
- 6 Alitus High
- 7 Fyn High
- 8 Jutland High
- 9 Hamburg Trough
- 10 West Holstein Trough
- 11 Elbe Valley Graben
- 12 Vogesen Block
- 13 Black Forest Block
- 14 FOLDED JURA MTS.
- 15 MORVAN BLOCK
- 16 ALPS



Topography: D. Mehla, J.-U. Schmidt and E. Volkmann,
using topographic maps of
Europe 1: 1.500.000
Cartography: D. Mehla

Scale 1: 5.000.000
0 50 100 150 200km

Institutions: ^{*1}: Inst. Geol. Sc. NASB, Minsk;
^{*2}: Federal Institute for Geosciences and Natural Resources, Hannover;
^{*3}: Geological Survey of Brandenburg, Kleinmachnow;
^{*4}: Geol. Inst. University Aarhus;
^{*5}: Silesian University, Sosnowiec;
^{*6}: Inst. Geogr. NASU, Kiev;
^{*7}: Geol. Inst., Vilnius
edited by: Geological Survey of Brandenburg,
Kleinmachnow 1997/2000